


Breadth-First Search



Outline and Reading

- ◆ Breadth-first search (§12.3.2)
 - Algorithm
 - Example
 - Properties
 - Analysis
 - Applications
- ◆ DFS vs. BFS
 - Comparison of applications
 - Comparison of edge labels

Breadth-First Search

- ◆ Breadth-first search (BFS) is a general technique for traversing a graph
- ◆ A BFS traversal of a graph G
 - Visits all the vertices and edges of G
 - Determines whether G is connected
 - Computes the connected components of G
 - Computes a spanning forest of G
- ◆ BFS on a graph with n vertices and m edges takes $O(n + m)$ time
- ◆ BFS can be further extended to solve other graph problems
 - Find and report a path with the minimum number of edges between two given vertices
 - Find a simple cycle, if there is one

BFS Algorithm


- ◆ The algorithm uses a mechanism for setting and getting "labels" of vertices and edges

Algorithm $BFS(G)$
Input graph G
Output labeling of the edges and partition of the vertices of G
for all $u \in G.vertices()$
 setLabel(u , UNEXPLORED)
for all $e \in G.edges()$
 setLabel(e , UNEXPLORED)
for all $v \in G.vertices()$
if getLabel(v) = UNEXPLORED
 BFS(G , v)


Algorithm $BFS(G, s)$
 $L_0 \leftarrow$ new empty sequence
 $L_0.insertLast(s)$
 setLabel(s , VISITED)
 $i \leftarrow 0$
while $\neg L_i.isEmpty()$
 $L_{i+1} \leftarrow$ new empty sequence
for all $v \in L_i.elements()$
for all $e \in G.incidentEdges(v)$
if getLabel(e) = UNEXPLORED
 $w \leftarrow opposite(v, e)$
if getLabel(w) = UNEXPLORED
 setLabel(e , DISCOVERY)
 setLabel(w , VISITED)
 $L_{i+1}.insertLast(w)$
else
 setLabel(e , CROSS)
 $i \leftarrow i + 1$

Example


- unexplored vertex
- visited vertex
- unexplored edge
- discovery edge
- - - cross edge



Example (cont.)



Example (cont.)



4/1/2003 8:35 AM

Breadth-First Search

7

Properties

Notation

G_s : connected component of s

Property 1

$BFS(G, s)$ visits all the vertices and edges of G_s



Property 2

The discovery edges labeled by $BFS(G, s)$ form a spanning tree T_s of G_s

Property 3

For each vertex v in L_i

- The path of T_s from s to v has i edges
- Every path from s to v in G_s has at least i edges



4/1/2003 8:35 AM

Breadth-First Search

8

Analysis

- Setting/getting a vertex/edge label takes $O(1)$ time
- Each vertex is labeled twice
 - once as UNEXPLORED
 - once as VISITED
- Each edge is labeled twice
 - once as UNEXPLORED
 - once as DISCOVERY or CROSS
- Each vertex is inserted once into a sequence L_i
- Method `incidentEdges()` is called once for each vertex
- BFS runs in $O(n + m)$ time provided the graph is represented by the adjacency list structure
 - Recall that $\sum_v \deg(v) = 2m$

4/1/2003 8:35 AM

Breadth-First Search

9

Applications

- Using the template method pattern, we can specialize the BFS traversal of a graph G to solve the following problems in $O(n + m)$ time
 - Compute the connected components of G
 - Compute a spanning forest of G
 - Find a simple cycle in G , or report that G is a forest
 - Given two vertices of G , find a path in G between them with the minimum number of edges, or report that no such path exists


4/1/2003 8:35 AM

Breadth-First Search


10

DFS vs. BFS

Applications	DFS	BFS
Spanning forest, connected components, paths, cycles	✓	✓
Shortest paths		✓
Biconnected components	✓	



DFS



BFS

4/1/2003 8:35 AM

Breadth-First Search

11


DFS vs. BFS (cont.)

Back edge (v, w)


- w is an ancestor of v in the tree of discovery edges

Cross edge (v, w)

- w is in the same level as v or in the next level in the tree of discovery edges



DFS



BFS

4/1/2003 8:35 AM

Breadth-First Search

12