


Quick-Sort




Outline and Reading

- ◆ Quick-sort (§10.3)
 - Algorithm
 - Partition step
 - Quick-sort tree
 - Execution example
- ◆ Analysis of quick-sort (§10.3.1)
- ◆ In-place quick-sort (§10.3.1)
- ◆ Summary of sorting algorithms

Quick-Sort

◆ Quick-sort is a randomized sorting algorithm based on the divide-and-conquer paradigm:

- **Divide:** pick a random element x (called **pivot**) and partition S into
 - L elements less than x
 - E elements equal x
 - G elements greater than x
- **Recur:** sort L and G
- **Conquer:** join L , E and G



Partition


- ◆ We partition an input sequence as follows:
 - We remove, in turn, each element y from S and
 - We insert y into L , E or G , depending on the result of the comparison with the pivot x .
- ◆ Each insertion and removal is at the beginning or at the end of a sequence, and hence takes $O(1)$ time
- ◆ Thus, the partition step of quick-sort takes $O(n)$ time

```

Algorithm partition( $S, p$ )
Input sequence  $S$ , position  $p$  of pivot
Output subsequences  $L, E, G$  of the elements of  $S$  less than, equal to, or greater than the pivot, resp.
 $L, E, G \leftarrow$  empty sequences
 $x \leftarrow S.remove(p)$ 
while  $\neg S.isEmpty()$ 
     $y \leftarrow S.remove(S.first())$ 
    if  $y < x$ 
         $L.insertLast(y)$ 
    else if  $y = x$ 
         $E.insertLast(y)$ 
    else  $\{ y > x \}$ 
         $G.insertLast(y)$ 
return  $L, E, G$ 
    
```


Quick-Sort Tree

- ◆ An execution of quick-sort is depicted by a binary tree
 - Each node represents a recursive call of quick-sort and stores
 - Unsorted sequence before the execution and its pivot
 - Sorted sequence at the end of the execution
 - The root is the initial call
 - The leaves are calls on subsequences of size 0 or 1




Execution Example

◆ Pivot selection



Execution Example (cont.)

- ◆ Partition, recursive call, pivot selection




Quick-Sort

7

Execution Example (cont.)

- ◆ Partition, recursive call, base case




Quick-Sort

8

Execution Example (cont.)

- ◆ Recursive call, ..., base case, join




Quick-Sort

9

Execution Example (cont.)

- ◆ Recursive call, pivot selection




Quick-Sort

10

Execution Example (cont.)

- ◆ Partition, ..., recursive call, base case




Quick-Sort

11

Execution Example (cont.)

- ◆ Join, join




Quick-Sort

12


Worst-case Running Time

- The worst case for quick-sort occurs when the pivot is the unique minimum or maximum element
- One of L and G has size $n - 1$ and the other has size 0
- The running time is proportional to the sum $n + (n - 1) + \dots + 2 + 1$
- Thus, the worst-case running time of quick-sort is $O(n^2)$



Expected Running Time

- Consider a recursive call of quick-sort on a sequence of size s
 - Good call:** the sizes of L and G are each less than $3s/4$
 - Bad call:** one of L and G has size greater than $3s/4$




- A call is **good** with probability $1/2$
 - $1/2$ of the possible pivots cause good calls:



Expected Running Time, Part 2

- Probabilistic Fact:** The expected number of coin tosses required in order to get k heads is $2k$
- For a node of depth i , we expect
 - $i/2$ ancestors are good calls
 - The size of the input sequence for the current call is at most $(3/4)^{i/2}n$
- Therefore, we have
 - For a node of depth $2\log_{3/4}n$, the expected input size is one
 - The expected height of the quick-sort tree is $O(\log n)$
- The amount of work done at the nodes of the same depth is $O(n)$
- Thus, the expected running time of quick-sort is $O(n \log n)$



In-Place Quick-Sort

- Quick-sort can be implemented to run in-place
- In the partition step, we use replace operations to rearrange the elements of the input sequence such that
 - the elements less than the pivot have rank less than h
 - the elements equal to the pivot have rank between h and k
 - the elements greater than the pivot have rank greater than k
- The recursive calls consider
 - elements with rank less than h
 - elements with rank greater than k



Algorithm inPlaceQuickSort(S, l, r)

Input sequence S , ranks l and r

Output sequence S with the elements of rank between l and r rearranged in increasing order

if $l \geq r$

return

$i \leftarrow$ a random integer between l and r

$x \leftarrow S.elemAtRank(i)$

$(h, k) \leftarrow inPlacePartition(x)$

$inPlaceQuickSort(S, l, h - 1)$


$inPlaceQuickSort(S, k + 1, r)$

Quick-Sort

16


In-Place Partitioning

- Perform the partition using two indices to split S into L and EYG (a similar method can split EYG into E and G).



- Repeat until j and k cross:

- Scan j to the right until finding an element $\geq x$.
- Scan k to the left until finding an element $< x$.
- Swap elements at indices j and k



Quick-Sort

17

Summary of Sorting Algorithms

Algorithm	Time	Notes
selection-sort	$O(n^2)$	<ul style="list-style-type: none"> in-place slow (good for small inputs)
insertion-sort	$O(n^2)$	<ul style="list-style-type: none"> in-place slow (good for small inputs)
quick-sort	$O(n \log n)$ expected	<ul style="list-style-type: none"> in-place, randomized fastest (good for large inputs)
heap-sort	$O(n \log n)$	<ul style="list-style-type: none"> in-place fast (good for large inputs)
merge-sort	$O(n \log n)$	<ul style="list-style-type: none"> sequential data access fast (good for huge inputs)

Quick-Sort

18